SrrTrains v0.01 Backlog

Date: 2018-04-27

The following user stories were foreseen for the Release "Step 0033" (PROJECT NOW CLOSED)

Step	Requestor	Title	
	Story		
0033	PM (LPTY1)	Basic Vehicle Cab via Console	
	The basic cab shall be visible and controllable in the console interface. Doing so it would be possible to influence EVERY vehicle via the console.		
0033	internal	Re-Design after First LAN Party	
	The SRR Framework is still instable, especially in multiuser-mode. Therefore the complete SRR Framework shall be re-designed, even considering an abandonment of the ECMAscript-paradigm and using other (open source) frameworks, even forcing us to use other browsers and to change the SRR Tools.		

The following user stories have been collected and are noted here

Step	Requestor	Title		
	Story			
	SET	Extensibility and Modularity		
	SrrTrains should be open to the modeling of cars/trucks and pedestrians.			
	BXR	Enhanced Communication		
	To be perfect, he need, - "Body language" function for gesturing of avatars using key words from users messages; -"Synthetic Voice" function for the reader of users messages			
	TVB (LPTY1) Quality of Track and Turnout Models			
	The quality of the existing static track and turnout models is not sufficient Even the graphical output of the state of the points is very disappointing. improvements are definitively necessary.			
	internal	Standard Topology/Geometry of Modules		
	The geometry of standard modules shall be defined, to ease the intervent modules of different authors. The "interfaces" between the modules shadefined. Therefore a survey shall be done (at least in the internet), when standards are already existing for "real" model railroads (NEM, NMRA,			
	internal	Blender Python Scripts		
		of authoring support, it is envisioned to provide Python scripts for the to ease the creation of SrrTrains modules.		
	SET	Automatic Banks and Cuts		
		Authoring of modules would be easier, if an authoring tool would support creating banks and cuts in the hills and mountain side, given an input track geometry.		
	internal	Open Source Preference Authoring		

Product Backlog

	As far as useful and possible, the SRR Framework and the SRR Tools should		
	prefer open source tools, when deciding to support this or that authoring tool		
	internal	Browser Independence	
	Browsers to attract	SRR Framework can be used with a broad variety of Web3D t many authors and users who might have their preferences f this or that Web3D Browser.	
	internal	Server Independence	
	We even wish, that different Web3D Browsers can be used concurrer the same multiuser session, leveraging the standardized nature of the sensor concept.		
	internal	Open Source Preference Browser	
	As far as useful and possible, the SRR Framework and the SRR Tools prefer open source tools, when deciding to support this or that Web3D when deciding to support this or that MU System		
	internal	Asynchronous Controllers for Extension Modules	
	Currently, the SRR Framework supports "synchronous" controllers for extension modules only. This is an "ugly" approach, which should be replaced by "asynchronous" controllers for extension modules		
	internal	Derailment when switching the points	
	Derailment of vehi	cles, when switching the points erroneously	
	internal	Bursting Open the Points	
	Burst open the po	ints	
	internal	Exploding on Derailment	
	Derailment -> explode		
	internal	Coupling of Vehicles and Bumpers (Basic Collision)	
	coupling, bumper		
	internal	Slanting Collision	
	slanting collision -		
	internal	Head On Collision and Rear End Collision	
		/ rear-end collision -> derail	
<u> </u>	internal	Basic Interlocking like in the 1900's	
	basic interlocking		
	internal	Train Movers	
	A kind of "Train Movers" should be implemented, to implement moving tracks and turnouts. This should help in implementing following use cases: - ferry ships transporting trains and wagons - turntables - wagons carrying other wagons (e.g. narrow gauge wagon on standard gauge)		
	_	ailroad layout within the model railroad"	
	internal	External Effects	
	Some kind of "external effects" should be possible to be imposed to wagons and trains. This should help to implement following use case - loading/unloading goods to/from wagons		
	internal	Manual Decoupling (GUI)	
	manual decoupling	g with some kind of GUI	
	internal	Decoupling with Decoupling Track	
	decoupling with de	ecoupling track	

Product Backlog

Legend: SET = Sven-Erik T. BXR = BlaxxunRomania PM = Paul M. TVB = Thomas B.